L Number	Hits	Search Text	DB	Time stamp
-	6583	(lookup or look\$3 adj up) near6 (id\$1 or identification\$1 or identifier\$1 or identify\$3 or identi\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/07/29 10:37
-	267	((lookup or look\$3 adj up) near6 (id\$1 or identification\$1 or identifier\$1 or identify\$3 or identi\$4)) and usb	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/29 10:39
-	168	((lookup or look\$3 adj up) near6 (id\$1 or identification\$1 or identifier\$1 or identify\$3 or identi\$4)) with (product or vendor)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/29 10:09
-	9	(((lookup or look\$3 adj up) near6 (id\$1 or identification\$1 or identifier\$1 or identify\$3 or identi\$4)) and usb) and (((lookup or look\$3 adj up) near6 (id\$1 or identification\$1 or identifier\$1 or identify\$3 or identi\$4)) with (product or vendor))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/29 10:13
-	159	(((lookup or look\$3 adj up) near6 (id\$1 or identification\$1 or identifier\$1 or identify\$3 or identi\$4)) with (product or vendor)) not ((((lookup or look\$3 adj up) near6 (id\$1 or identification\$1 or identifier\$1 or identify\$3 or identi\$4)) and usb) and (((lookup or look\$3 adj up) near6 (id\$1 or identification\$1 or identifier\$1 or identify\$3 or identi\$4)) with (product or vendor)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/29 10:14
-	107	((((lookup or look\$3 adj up) near6 (id\$1 or identification\$1 or identifier\$1 or identify\$3 or identi\$4)) with (product or vendor)) not ((((lookup or look\$3 adj up) near6 (id\$1 or identification\$1 or identifier\$1 or identify\$3 or identi\$4)) and usb) and (((lookup or look\$3 adj up) near6 (id\$1 or identification\$1 or identifier\$1 or identify\$3 or identi\$4)) with (product or vendor)))) and (config\$7 or reconfigu\$7)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/29 10:15
-	107	((((lookup or look\$3 adj up) near6 (id\$1 or identification\$1 or identifier\$1 or identify\$3 or identi\$4)) with (product or vendor)) not ((((lookup or look\$3 adj up) near6 (id\$1 or identification\$1 or identifier\$1 or identify\$3 or identi\$4)) and usb) and (((lookup or look\$3 adj up) near6 (id\$1 or identification\$1 or identifier\$1 or identify\$3 or identi\$4)) with (product or vendor)))) and (config\$7 or reconfig\$7)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/29 10:38
-	48	"18" and (710/\$.ccls. or 713/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/29 10:19

-	6	(((((lookup or look\$3 adj up) near6 (id\$1 or	USPAT;	2003/07/29
		identification\$1 or identifier\$1 or identify\$3 or	US-PGPUB;	13:43
		identi\$4)) with (product or vendor)) not ((((lookup or	EPO; JPO;	
		look\$3 adj up) near6 (id\$1 or identification\$1 or	DERWENT;	
		identifier\$1 or identify\$3 or identi\$4)) and usb) and	IBM_TDB	
		(((lookup or look\$3 adj up) near6 (id\$1 or		
		identification\$1 or identifier\$1 or identify\$3 or		
		identi\$4)) with (product or vendor)))) and (config\$7		
		or reconfig\$7)) and (710/\$.ccls. or 713/\$.ccls.)		
-	6662	(lookup or look\$3 adj up) near6 (vid\$1 or pid\$1 or id\$1	USPAT;	2003/07/29
		or identification\$1 or identifier\$1 or identify\$3 or	US-PGPUB;	10:52
		identi\$4)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	4207	((lookup or look\$3 adj up) near6 (vid\$1 or pid\$1 or	USPAT;	2003/07/29
		id\$1 or identification\$1 or identifier\$1 or identify\$3	US-PGPUB;	10:53
		or identi\$4)) and (config\$7 or reconfig\$7)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	224	(((lookup or look\$3 adj up) near6 (vid\$1 or pid\$1 or	USPAT;	2003/07/29
		id\$1 or identification\$1 or identifier\$1 or identify\$3	US-PGPUB,	10:39
		or identi\$4)) and (config\$7 or reconfig\$7)) and usb	EPO; JPO;	
]		, , , , , , , , , , , , , , , , , , ,	DERWENT;	
			IBM_TDB	
-	40	((((lookup or look\$3 adj up) near6 (vid\$1 or pid\$1 or	USPAT;	2003/07/29
		id\$1 or identification\$1 or identifier\$1 or identify\$3	US-PGPUB;	10:39
		or identi\$4)) and (config\$7 or reconfig\$7)) and usb)	EPO; JPO;	
		and (710/\$.ccls. or 713/\$.ccls.)	DERWENT;	
		·	IBM_TDB	
-	7296	(lookup or look\$3 adj up) near6 (vid\$1 or pid\$1 or id\$1	USPAT;	2003/07/29
		or identification\$1 or identifier\$1 or identify\$3 or	US-PGPUB;	13:01
	1	identi\$4 or vendor or product)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	4597	((lookup or look\$3 adj up) near6 (vid\$1 or pid\$1 or	USPAT;	2003/07/29
		id\$1 or identification\$1 or identifier\$1 or identify\$3	US-PGPUB;	13:08
		or identi\$4 or vendor or product)) and (config\$7 or	EPO; JPO;	
		reconfig\$7)	DERWENT;	
•			IBM_TDB	
-	24	(((lookup or look\$3 adj up) near6 (vid\$1 or pid\$1 or	USPAT;	2003/07/29
		id\$1 or identification\$1 or identifier\$1 or identify\$3	US-PGPUB;	10:55
		or identi\$4 or vendor or product)) and (config\$7 or	EPO; JPO;	
		reconfig\$7)) and (710/\$.ccls. or 713/\$.ccls.)	DERWENT;	
			IBM_TDB	

-	24	((((lookup or look\$3 adj up) near6 (vid\$1 or pid\$1 or	USPAT;	2003/07/29
		id\$1 or identification\$1 or identifier\$1 or identify\$3	US-PGPUB;	10:54
		or identi\$4 or vendor or product)) and (config\$7 or	EPO; JPO;	
		reconfig\$7)) and (710/\$.ccls. or 713/\$.ccls.)) not	DERWENT;	
		((((((lookup or look\$3 adj up) near6 (id\$1 or	IBM_TDB	
		identification\$1 or identifier\$1 or identify\$3 or	_	
		identi\$4)) with (product or vendor)) not ((((lookup or		
		look\$3 adj up) near6 (id\$1 or identification\$1 or		
		identifier\$1 or identify\$3 or identi\$4)) and usb) and		
		(((lookup or look\$3 adj up) near6 (id\$1 or		
		identification\$1 or identifier\$1 or identify\$3 or		
		identi\$4)) with (product or vendor)))) and (config\$7		
		or reconfig\$7)) and (710/\$.ccls. or 713/\$.ccls.)) or		
		((((((lookup or look\$3 adj up) near6 (vid\$1 or pid\$1 or		
		id\$1 or identification\$1 or identifier\$1 or identify\$3		
		or identi\$4)) and (config\$7 or reconfig\$7)) and usb)		
		and (710/\$.ccls. or 713/\$.ccls.)))		
_	371	· · · · · · · · · · · · · · · · · · ·	LICDAT	2002/07/20
_	3/1	(((lookup or look\$3 adj up) near6 (vid\$1 or pid\$1 or	USPAT;	2003/07/29
		id\$1 or identification\$1 or identifier\$1 or identify\$3	US-PGPUB;	13:01
		or identi\$4 or vendor or product)) and (config\$7 or	EPO; JPO;	
		reconfig\$7)) and (710/\$.ccls. or 713/\$.ccls.)	DERWENT;	
	10050		IBW_TDB	
-	10850	(lookup or look\$3 adj up).clm.	USPAT;	2003/07/29
			US-PGPUB;	10:55
			EPO; JPO;	
			DERWENT;	
	400000	, , , , , , , , , , , , , , , , , , ,	IBW_TDB	
-	428983	(vid\$1 or pid\$1 or id\$1 or identification\$1 or	USPAT;	2003/07/29
		identifier\$1 or identify\$3 or identi\$4 or vendor or	US-PGPUB;	10:56
		product).clm.	EPO; JPO;	
			DERWENT;	
			IBW_TDB	
-	77	(((((lookup or look\$3 adj up) near6 (vid\$1 or pid\$1 or	USPAT;	2003/07/29
		id\$1 or identification\$1 or identifier\$1 or identify\$3	US-PGPUB;	10:57
		or identi\$4 or vendor or product)) and (config\$7 or	EPO; JPO;	
		reconfig\$7)) and (710/\$.ccls. or 713/\$.ccls.)) and	DERWENT;	
		((lookup or look\$3 adj up).clm.)) and ((vid\$1 or pid\$1	IBW_LDB	
		or id\$1 or identification\$1 or identifier\$1 or		
		identify\$3 or identi\$4 or vendor or product).clm.)		
-	88	((((lookup or look\$3 adj up) near6 (vid\$1 or pid\$1 or	USPAT;	2003/07/29
		id\$1 or identification\$1 or identifier\$1 or identify\$3	US-PGPUB;	10:57
		or identi\$4 or vendor or product)) and (config\$7 or	EPO; JPO;	
		reconfig\$7)) and (710/\$.ccls. or 713/\$.ccls.)) and	DERWENT;	
		((lookup or look\$3 adj up).clm.)	IBM_TDB	
-	952607	(device\$1 or peripheral\$1) near6 (info or information	USPAT;	2003/07/29
		or vid\$1 or pid\$1 or id\$1 or identification\$1 or	US-PGPUB;	13:35
		identifier\$1 or identify\$3 or identi\$4 or vendor or	EPO; JPO;	
		product or type\$1 or parameter\$1 or serial)	DERWENT;	
		•	IBM_TDB	
-	1402	((device\$1 or peripheral\$1) near6 (info or information	USPAT;	2003/07/29
		or vid\$1 or pid\$1 or id\$1 or identification\$1 or	US-PGPUB;	13:40
		identifier\$1 or identify\$3 or identi\$4 or vendor or	EPO; JPO;	
		product or type\$1 or parameter\$1 or serial)) with	DERWENT;	
		(lookup or look\$3 adj up)	IBM_TDB	

-	147	(((device\$1 or peripheral\$1) near6 (info or	USPAT;	2003/07/29
		information or vid\$1 or pid\$1 or id\$1 or	US-PGPUB;	13:43
		identification\$1 or identifier\$1 or identify\$3 or	EPO; JPO;	
		identi\$4 or vendor or product or type\$1 or	DERWENT;	
		parameter\$1 or serial)) with (lookup or look\$3 adj up))	IBM_TDB	
		and (710/\$.ccls. or 713/\$.ccls.)		
-	17	((((device\$1 or peripheral\$1) near6 (info or	USPAT;	2003/07/29
		information or vid\$1 or pid\$1 or id\$1 or	US-PGPUB;	13:02
		identification\$1 or identifier\$1 or identify\$3 or	EPO; JPO;	
		identi\$4 or vendor or product or type\$1 or	DERWENT;	
		parameter\$1 or serial)) with (lookup or look\$3 adj up))	IBM_TDB	
		and (710/\$.ccls. or 713/\$.ccls.)) and usb\$1		
-	9	(((((device\$1 or peripheral\$1) near6 (info or	USPAT;	2003/07/29
		information or vid\$1 or pid\$1 or id\$1 or	US-PGPUB;	13:08
		identification\$1 or identifier\$1 or identify\$3 or	EPO; JPO;	10.00
		identi\$4 or vendor or product or type\$1 or	DERWENT;	
		parameter\$1 or serial)) with (lookup or look\$3 adj up))	IBM_TDB	
		and (710/\$.ccls. or 713/\$.ccls.)) and usb\$1) not	2011_100	
		(((((((lookup or look\$3 adj up) near6 (id\$1 or		
		identification\$1 or identifier\$1 or identify\$3 or		
		identi\$4)) with (product or vendor)) not ((((lookup or		
		look\$3 adj up) near6 (id\$1 or identification\$1 or		
		identifier\$1 or identify\$3 or identi\$4)) and usb) and		
		(((lookup or look\$3 adj up) near6 (id\$1 or	:	
		identification\$1 or identifier\$1 or identify\$3 or	•	
		identi\$4)) with (product or vendor)))) and (config\$7		
		or reconfig\$7)) and (710/\$.ccls. or 713/\$.ccls.)) or		
		(((((lookup or look\$3 adj up) near6 (vid\$1 or pid\$1 or		
		id\$1 or identification\$1 or identifier\$1 or identify\$3		
		or identi\$4)) and (config\$7 or reconfig\$7)) and usb)		
		and (710/\$.ccls. or 713/\$.ccls.)) or ((((lookup or		
		look\$3 adj up) near6 (vid\$1 or pid\$1 or id\$1 or		
		identification\$1 or identifier\$1 or identify\$3 or		
		identi\$4 or vendor or product)) and (config\$7 or		
		reconfig\$7)) and (710/\$.ccls. or 713/\$.ccls.)) not		
		(((((((lookup or look\$3 adj up) near6 (id\$1 or		
		identification\$1 or identifier\$1 or identify\$3 or		
		identi\$4)) with (product or vendor)) not ((((lookup or		
		look\$3 adj up) near6 (id\$1 or identification\$1 or		
		identifier\$1 or identify\$3 or identi\$4)) and usb) and		
		(((lookup or look\$3 adj up) near6 (id\$1 or		
		identification\$1 or identifier\$1 or identify\$3 or		
		identi\$4)) with (product or vendor)))) and (config\$7		
		or reconfig\$7)) and (710/\$.ccls. or 713/\$.ccls.)) or		
		(((((lookup or look\$3 adj up) near6 (vid\$1 or pid\$1 or		
		id\$1 or identification\$1 or identifier\$1 or identify\$3		
]	or identi\$4)) and (config\$7 or reconfig\$7)) and usb)		
		and (710/\$.ccls. or 713/\$.ccls.)))) or (((((lookup or		
		look\$3 adj up) near6 (vid\$1 or pid\$1 or id\$1 or		
		identification\$1 or identifier\$1 or identify\$3 or		
		identi\$4 or vendor or product)) and (config\$7 or		
		reconfig\$7)) and (710/\$.ccls. or 713/\$.ccls.)) and		
]	((lookup or look\$3 adj up).clm.)))		
	 1	Western to the and abtenutiff		<u>l</u>

122	((((device\$1 or peripheral\$1) near6 (info or	USPAT;	2003/07/29
	information or vid\$1 or pid\$1 or id\$1 or	US-PGPUB;	13:43
	identification\$1 or identifier\$1 or identify\$3 or	EPO; JPO;	
	identi\$4 or vendor or product or type\$1 or	DERWENT;	
	parameter\$1 or serial)) with (lookup or look\$3 adj up))	IBM_TDB	
	,	information or vid\$1 or pid\$1 or id\$1 or identification\$1 or identifier\$1 or identify\$3 or identi\$4 or vendor or product or type\$1 or	information or vid\$1 or pid\$1 or id\$1 or US-PGPUB; identification\$1 or identifier\$1 or identify\$3 or identi\$4 or vendor or product or type\$1 or parameter\$1 or serial)) with (lookup or look\$3 adj up)) and (710/\$.ccls. or 713/\$.ccls.)) and (config\$7 or

(((((device\$1 or peripheral\$1) near6 (info or USPAT; 2003/07/29 information or vid\$1 or pid\$1 or id\$1 or US-PGPUB; 13:43 identification\$1 or identifier\$1 or identify\$3 or EPO; JPO; identi\$4 or vendor or product or type\$1 or DERWENT; parameter\$1 or serial)) with (lookup or look\$3 adj up)) IBM_TDB and (710/\$.ccls. or 713/\$.ccls.)) and (config\$7 or reconfig\$7)) not ((((((lookup or look\$3 adj up) near6 (id\$1 or identification\$1 or identifier\$1 or identify\$3 or identi\$4)) with (product or vendor)) not ((((lookup or look\$3 adj up) near6 (id\$1 or identification\$1 or identifier\$1 or identify\$3 or identi\$4)) and usb) and (((lookup or look\$3 adj up) near6 (id\$1 or identification\$1 or identifier\$1 or identify\$3 or identi\$4)) with (product or vendor)))) and (config\$7 or reconfig\$7)) and (710/\$.ccls. or 713/\$.ccls.)) or (((((lookup or look\$3 adj up) near6 (vid\$1 or pid\$1 or id\$1 or identification\$1 or identifier\$1 or identify\$3 or identi\$4)) and (config\$7 or reconfig\$7)) and usb) and (710/\$.ccls. or 713/\$.ccls.)) or (((((lookup or look\$3 adj up) near6 (vid\$1 or pid\$1 or id\$1 or identification\$1 or identifier\$1 or identify\$3 or identi\$4 or vendor or product)) and (config\$7 or reconfig\$7)) and (710/\$.ccls. or 713/\$.ccls.)) not (((((((lookup or look\$3 adj up) near6 (id\$1 or identification\$1 or identifier\$1 or identify\$3 or identi\$4)) with (product or vendor)) not ((((lookup or look\$3 adj up) near6 (id\$1 or identification\$1 or identifier\$1 or identify\$3 or identi\$4)) and usb) and (((lookup or look\$3 adj up) near6 (id\$1 or identification\$1 or identifier\$1 or identify\$3 or identi\$4)) with (product or vendor)))) and (config\$7 or reconfig\$7)) and (710/\$.ccls. or 713/\$.ccls.)) or (((((lookup or look\$3 adj up) near6 (vid\$1 or pid\$1 or id\$1 or identification\$1 or identifier\$1 or identify\$3 or identi\$4)) and (config\$7 or reconfig\$7)) and usb) and (710/\$.ccls. or 713/\$.ccls.)))) or (((((lookup or look\$3 adj up) near6 (vid\$1 or pid\$1 or id\$1 or identification\$1 or identifier\$1 or identify\$3 or identi\$4 or vendor or product)) and (config\$7 or reconfig\$7)) and (710/\$.ccls. or 713/\$.ccls.)) and ((lookup or look\$3 adj up).clm.)) or (((((device\$1 or peripheral\$1) near6 (info or information or vid\$1 or pid\$1 or id\$1 or identification\$1 or identifier\$1 or identify\$3 or identi\$4 or vendor or product or type\$1 or parameter\$1 or serial)) with (lookup or look\$3 adj up)) and (710/\$.ccls. or 713/\$.ccls.)) and usb\$1) not ((((((lookup or look\$3 adj up) near6 (id\$1 or identification\$1 or identifier\$1 or identify\$3 or identi\$4)) with (product or vendor)) not ((((lookup or look\$3 adj up) near6 (id\$1 or identification\$1 or identifier\$1 or identify\$3 or identi\$4)) and usb) and (((lookup or look\$3 adj up) near6 (id\$1 or identification\$1 or identifier\$1 or identify\$3 or identi\$4)) with (product or vendor)))) and (config\$7 or reconfig\$7)) and (710/\$.ccls. or 713/\$.ccls.)) or Search History 7/31/03 XXXXIII POR MAN OF PORES adj up) near 6 (vid\$1 or pid\$1 or C:\APPS\EA5T\Workspades(\$99730eegifigation\$1 or identifier\$1 or identify\$3 c f ec f

<u> </u>	1062006	(device\$1 or peripheral\$1) near6 (info or information	USPAT;	2003/07/29
	1002000	or vid\$1 or pid\$1 or id\$1 or identification\$1 or	US-PGPUB;	13:40
		identifier\$1 or identify\$3 or identi\$4 or vendor or	EPO; JPO;	15.10
		product or type\$1 or parameter\$1 or serial or	DERWENT;	
		attribute\$1 or characteristic\$1 or property or	IBM_TDB	
		properties)		
-	1548	((device\$1 or peripheral\$1) near6 (info or information	USPAT;	2003/07/29
		or vid\$1 or pid\$1 or id\$1 or identification\$1 or	US-PGPUB;	13:40
		identifier\$1 or identify\$3 or identi\$4 or vendor or	EPO; JPO;	
		product or type\$1 or parameter\$1 or serial or	DERWENT;	
		attribute\$1 or characteristic\$1 or property or	IBM_TDB	
		properties)) with (lookup or look\$3 adj up)		
-	1011	(((device\$1 or peripheral\$1) near6 (info or	USPAT;	2003/07/29
		information or vid\$1 or pid\$1 or id\$1 or	US-PGPUB;	13:43
		identification\$1 or identifier\$1 or identify\$3 or	EPO; JPO;	
		identi\$4 or vendor or product or type\$1 or	DERWENT;	
		parameter\$1 or serial or attribute\$1 or	IBM_TDB	
		characteristic\$1 or property or properties)) with		
		(lookup or look\$3 adj up)) and (config\$7 or reconfig\$7)		
•	127	((((device\$1 or peripheral\$1) near6 (info or	USPAT;	2003/07/29
		information or vid\$1 or pid\$1 or id\$1 or	US-PGPUB;	13:43
		identification\$1 or identifier\$1 or identify\$3 or	EPO; JPO;	
		identi\$4 or vendor or product or type\$1 or	DERWENT;	
		parameter\$1 or serial or attribute\$1 or	IBM_TDB	
		characteristic\$1 or property or properties)) with	_	
		(lookup or look\$3 adj up)) and (config\$7 or		
		reconfig\$7)) and (710/\$.ccls. or 713/\$.ccls.)	1	

(((((device\$1 or peripheral\$1) near6 (info or USPAT: information or vid\$1 or pid\$1 or id\$1 or US-PGPUB; identification\$1 or identifier\$1 or identify\$3 or EPO; JPO; identi\$4 or vendor or product or type\$1 or DERWENT: parameter\$1 or serial or attribute\$1 or IBM_TDB characteristic\$1 or property or properties)) with (lookup or look\$3 adj up)) and (config\$7 or reconfig\$7)) and (710/\$.ccls. or 713/\$.ccls.)) not (((((((lookup or look\$3 adj up) near6 (id\$1 or identification\$1 or identifier\$1 or identify\$3 or identi\$4)) with (product or vendor)) not ((((lookup or look\$3 adj up) near6 (id\$1 or identification\$1 or identifier\$1 or identify\$3 or identi\$4)) and usb) and (((lookup or look\$3 adj up) near6 (id\$1 or identification\$1 or identifier\$1 or identify\$3 or identi\$4)) with (product or vendor)))) and (config\$7 or reconfig\$7)) and (710/\$.ccls. or 713/\$.ccls.)) or (((((lookup or look\$3 adj up) near6 (vid\$1 or pid\$1 or id\$1 or identification\$1 or identifier\$1 or identify\$3 or identi\$4)) and (config\$7 or reconfig\$7)) and usb) and (710/\$.ccls. or 713/\$.ccls.)) or (((((lookup or look\$3 adj up) near6 (vid\$1 or pid\$1 or id\$1 or identification\$1 or identifier\$1 or identify\$3 or identi\$4 or vendor or product)) and (config\$7 or reconfig\$7)) and (710/\$.ccls. or 713/\$.ccls.)) not ((((((lookup or look\$3 adj up) near6 (id\$1 or identification\$1 or identifier\$1 or identify\$3 or identi\$4)) with (product or vendor)) not ((((lookup or look\$3 adj up) near6 (id\$1 or identification\$1 or identifier\$1 or identify\$3 or identi\$4)) and usb) and (((lookup or look\$3 adj up) near6 (id\$1 or identification\$1 or identifier\$1 or identify\$3 or identi\$4)) with (product or vendor)))) and (config\$7 or reconfig\$7)) and (710/\$.ccls. or 713/\$.ccls.)) or (((((lookup or look\$3 adj up) near6 (vid\$1 or pid\$1 or id\$1 or identification\$1 or identifier\$1 or identify\$3 or identi\$4)) and (config\$7 or reconfig\$7)) and usb) and (710/\$.ccls. or 713/\$.ccls.)))) or (((((lookup or look\$3 adj up) near6 (vid\$1 or pid\$1 or id\$1 or identification\$1 or identifier\$1 or identify\$3 or identi\$4 or vendor or product)) and (config\$7 or reconfig\$7)) and (710/\$.ccls. or 713/\$.ccls.)) and ((lookup or look\$3 adj up).clm.)) or (((((device\$1 or peripheral\$1) near6 (info or information or vid\$1 or pid\$1 or id\$1 or identification\$1 or identifier\$1 or identify\$3 or identi\$4 or vendor or product or type\$1 or parameter\$1 or serial)) with (lookup or look\$3 adj up)) and (710/\$.ccls. or 713/\$.ccls.)) and usb\$1) not (((((((lookup or look\$3 adj up) near6 (id\$1 or identification\$1 or identifier\$1 or identify\$3 or identi\$4)) with (product or vendor)) not ((((lookup or look\$3 adj up) near6 (id\$1 or identification\$1 or identifier\$1 or identify\$3 or identi\$4)) and usb) and (((lookup or look\$3 adj up) near6 (id\$1 or identification\$1 or identifier\$1 or identify\$3 or Search History 7/31/03 79293 3 Mwitzagraduct or vendor)))) and (config \$7

2003/07/30

SPUB; 08:15

-	30664	index\$3 near6 table\$1	USPAT;	2003/07/30
			US-PGPUB;	08:18
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	1 1	(index\$3 near6 table\$1) with jumper\$1	USPAT;	2003/07/30
			US-PGPUB;	08:19
			EPO; JPO;	
	İ		DERWENT;	
			IBM_TDB	
_	1	(index\$3 near6 table\$1) same (index\$1 with	USPAT;	2003/07/30
		jumper\$1)	US-PGPUB;	09:10
	1	Jan. p. 7 - 7	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	34	index\$1 with jumper\$1	USPAT:	2003/07/30
		macky with jumper wi	US-PGPUB;	08:21
			EPO; JPO;	00.21
			DERWENT;	
	2	(index\$1 with jumper\$1) same table\$1	IBM_TDB USPAT;	2002/07/20
		(maexp1 with jumperp1) same tablep1	1	2003/07/30
			US-PGPUB;	08:21
			EPO; JPO;	
			DERWENT;	
	360	(laslum and laslut 2 a di um) un 1 (710 (0 10 104 a di	IBM_TDB	0000 (07 (00
-	360	(lookup or look\$3 adj up) and (710/8-19,104.ccls. or	USPAT;	2003/07/30
		713/1,2,100.ccls.)	US-PGPUB;	09:18
			EPO; JPO;	
			DERWENT;	
		// L L L L L L L L L L L L L L L L L L	IBW_TDB	
-	34	((lookup or look\$3 adj up) and (710/8-19,104.ccls. or	USPAT;	2003/07/30
		713/1,2,100.ccls.)) and usb	US-PGPUB;	14:14
			EPO; JPO;	
			DERWENT;	
	44.400		IBW_TDB	
-	16439	(lookup or look\$3 adj up) with (parameter\$1 or	USPAT;	2003/07/30
		characteristic\$1 or property or properties or	US-PGPUB;	09:19
		attribute\$1 or product or vendor or pid\$1 or vid\$1 or	EPO; JPO;	
		id\$1 or identification\$1 or identifier\$1 or identify\$3	DERWENT;	
	100	or identity or identities or serial)	IBW_TDB	
_	103	((lookup or look\$3 adj up) with (parameter\$1 or	USPAT;	2003/07/30
		characteristic\$1 or property or properties or	US-PGPUB;	09:19
		attribute\$1 or product or vendor or pid\$1 or vid\$1 or	EPO; JPO;	
		id\$1 or identification\$1 or identifier\$1 or identify\$3	DERWENT;	
		or identity or identities or serial)) and	IBW_TDB	
		(710/8-19,104.ccls. or 713/1,2,100.ccls.)		
-	97	(((lookup or look\$3 adj up) with (parameter\$1 or	USPAT;	2003/07/30
		characteristic\$1 or property or properties or	US-PGPUB;	14:13
		attribute\$1 or product or vendor or pid\$1 or vid\$1 or	EPO; JPO;	
		id\$1 or identification\$1 or identifier\$1 or identify\$3	DERWENT;	
		or identity or identities or serial)) and	IBM_TDB	
		(710/8-19,104.ccls. or 713/1,2,100.ccls.)) not (((lookup		
		or look\$3 adj up) and (710/8-19,104.ccls. or		
		713/1,2,100.ccls.)) and usb)		

-	330	usb with (vendor or product or vid\$1 or pid\$1)	USPAT;	2003/07/30
ļ			US-PGPUB;	14:13
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
	24	(usb with (vendor or product or vid\$1 or pid\$1)) and	USPAT;	2003/07/30
		(710/8-19,104.ccls. or 713/1,2,100.ccls.)	US-PGPUB;	14:14
			EPO; JPO;	
			DERWENT:	
			IBM TDB	